




ARCHITECTURAL IDENTITY CONSULTANTS

ADA AND NEW YORK REGULATORY SIGNAGE GUIDELINES

All contents are for reference only. Please consult with federal, state, local, and/or any other code regulating bodies for the most current up to date information.





BASE BUILDING SIGNAGE ■ ADA (ADAAG) Guidelines & Regulations

are placed at rooms containing permanent equipment or fixtures


Scale: 1/2" = 1"
Date: 4/2014

■ Base Building Signs

- Product: ADA Plaques with Raised Copy & Braille
- Size: 7" x 7"
- Type: All Cap San-Serif
- Braille: Grade 2, 1/4"H
- Line Spacing: 135-170 % of character height
- Colors: There must be a 70% contrast difference between background and copy/graphics
- Mounting: Vinyl Tape & Silicone Adh




Typical Base Building Signs
Scale: 1/4" = 1"





Room Number as Identification:
Tactile copy and Braille room numbers are required when used. Body text can be upper and lower case, font can be Serif or San-Serif when rooms do not contain permanent equipment or fixtures (see NJ1.0).



Room Name as Identification:
Tactile copy and Braille room name is recommended when assigned as identification. Text must be upper case, font must be San-Serif.

ADA Room Identification Signs


are placed at rooms that can be considered "non permanent"


ADA (ADAAG) Guidelines & Regulations

Scale: 1/2" = 1"
Date: 4/2014

ADA Room Identification

Product: ADA Plaques with Raised Copy & Braille
Size: 7" x 7"
Type (Tactile): All Cap San-Serif
Braille: Grade 2, 1/4"H
Line Spacing: 135-170 % of character height
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Vinyl Tape & Silicone Adh





Handicapped Accessible Restroom Sign shown



Handicapped Locator Sign:
Tactile copy and Braille not required
on this sign at non-accessible restrooms.

Note:
ADA Guidelines do not require
Pictograms. Local codes may require
them. When used, they must appear in a
6"x6" field.

Restroom Signs ■ ADA (ADAAG) Guidelines & Regulations


Includes locker rooms and mother's rooms

Scale: 1/2" = 1"
Date: 4/2014

Restroom Identification

Restroom ID Sign
Product: ADA Plaques with Raised Copy & Braille
Size: 8"H x 6"W Min.
Type: All Cap San-Serif
Braille: Grade 2, 1/4"H
Line Spacing: 135-170 % of character height
Colors: There must be a 70% contrast
difference between background and
copy/graphics
Mounting: Vinyl Tape & Silicone Adh

Handicapped Restroom Locator
Product: Subsurface Plaque
Size: 2"H x 6"W
Type: All Cap San-Serif
Colors: There must be a 70% contrast
difference between background and
copy/graphics
Mounting: Vinyl Tape & Silicone Adh




Per 2010 ADA Standards 703.4

Mounting Detail: 1/2" = 1'-0"

IBC 2009 Handicap Stall Marker ■ Barrier Free Guidelines & Regulations


To be placed on all handicap accessible stall doors.
Not Required in NYC but recommended.

Scale: 1/2" = 1"
Date: 4/2014



■ Handicap Stall Marker

Product: Subsurface Plaque or High Performance vinyl
Size: 6" x 6"
Graphic: 4"H
Colors: Background vinyl Olympic Blue 220/225-57, Graphic White
Mounting: Vinyl Tape



Mounting Detail: NTS

Page: NY4.0



352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043


THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

NY Fire Stair Identity Sign ADA Stair Sign for Occupancy Side

Drawings are based on NYC Building Code E for building 5 stories and above.
(Codes for other occupancy use may vary from what is shown)

Code Specification Guidelines & Regulations

Scale: 1/2" = 1"
Date: 4/2014



Text recommended but not required.

Text recommended but not required.

Note:
On accessible floors copy to read "Re-entry this floor"

Fire Stair Identity Sign



Note:
ADA Stair Sign is required by International Building Code & CABO A1171 & ADA

ADA Stair Sign

Fire Stair Identity

Fire Stair ID
Product: Subsurface Plaque
Size: 8"H x 8"W
Type: San-Serif, Bold, 1/2" Cap Ht minimum, Building level 3" Cap Ht minimum
Colors: Check local codes
Mounting: Vinyl Tape & Silicone Adh

ADA Stair Sign
Product: ADA Plaques with Raised Copy & Braille
Size: 2"H x 8"
Type: All Cap San-Serif, 5/8" Cap Ht minimum
Braille: Grade 2, 1/4"H
Line Spacing: 135-170 % of character height
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Vinyl Tape & Silicone Adh

Page: NY5.0



352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

See NY7.0 for Mounting Details

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

National Fire Protection Act Sign, NYC Building Code Stairwell Side

Drawings are based on National Fire Protection Act
and NYC Building Code E requirements
for buildings 5 stories and above.
(Codes for other occupancy use
may vary from what is shown)

Code Specification Guidelines & Regulations

Scale: 1/2" = 1"
Date: 4/2014



Text recommended
but not required.

Architect to
verify copy

Note:
On accessible floors copy to
read "Re-entry this floor"

NATIONAL FIRE PROTECTION ACT SIGN (NFPA)

National Fire Protection Sign

Product: Subsurface Plaque
Size: 8" x 8"
Type: San-Serif, Bold, 1/2" Cap Ht minimum,
Building level 3" Cap Ht minimum
Mounting: Vinyl Tape & Silicone Adh


Page: NY6.0

DESIGNER
SYSTEMS


352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

See NY7.0 for Mounting Details

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS,
CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED,
MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT
THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.




NYC Code: OCCUPANCY SIDE
Sign and ADA/CABO component on wall



NYC Code: OCCUPANCY SIDE
Sign on door and ADA/CABO component on wall

OR



NYC Code: STAIRWELL SIDE
Sign on wall to appear "free" from the door

Note:
Sign must be readily visible whether the door is in the open or closed position.
See local fire officials for local code requirements and specifications.

Code Specification Guidelines & Regulations

Scale: 1/2" = 1'-0"
Date: 4/2014

Fire Stair Signs Mounting Details

Page: NY7.0

DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043


THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

NYC Fire Egress Sign No ADA Option Required

NYC Building Code requires a Fire Egress Map at each elevator bank. Two stairs must be shown. Check local code requirements.

NJ Fire Code Guidelines & Regulations

Scale: 1/2" = 1"
Date: 4/2014



NJ Fire Egress Sign

Product: Subsurface Plaque
Suggested Size: 10"H x 12"W
Type: San-Serif, All Cap, 1/2" Cap Ht minimum,
Elevator bank 3" Cap Ht minimum
Mounting: Vinyl Tape & Silicone Adh


Page: NY8.0

DESIGNER
SYSTEMS


352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

Mounting Location: 2" above elevator call button.

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.




ADA Elevator Floor Identification Plaque




Elevator Cab Identification Plaque
The mounting location must be approved by the local fire marshal.

ADA Elevator Jamb Floor Identification Elevator Cab Identification



Note:
Star Icon indicates building
main entry level.
Not to scale



Optional Mounting: NTS

Recommended Mounting Detail: NTS

ADA (ADAAG) Guidelines & Regulations

Scale: 1" = 1"
Date: 4/2014

Elevator Ids

ADA Elevator Floor ID Plaque
Product: ADA Plaques with Raised Copy & Braille
Size: 3" x 3"
Type: All Cap San-Serif, 2"H Min.
Braille: Grade 2, 1/4"H
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Vinyl Tape & Silicone Adh


Elevator Cab ID Plaque
Product: Subsurface Plaque
Size: 3" x 3"
Type: All Cap San-Serif, 1-1/2"H Min.
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Vinyl Tape & Silicone Adh

Page: NY9.0


DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.



Wayfinding to Area of Rescue Assistance
Scale: 1/4" = 1"



Area of Refuge
Scale: 1/2" = 1"

Note:

Use when an approved means of egress is not provided at exits on elevators or a required accessible space.

Area of Rescue Assistance Wayfinding Signs

To be used when the Area of Rescue Assistance is not directly accessed by a designated exit door.

ADA (ADAAG) Guidelines & Regulations

Scale: As Noted
Date: 4/2014


Area of Rescue Assistance

Wayfinding to Area of Rescue Assistance

Product: Subsurface Plaque
Size: 8"H x 16"W
Type: All Cap San-Serif
Mounting: Vinyl Tape & Silicone Adh

Wayfinding to Area of Refuge

Product: Subsurface Plaque
Size: 6"H x 8"W
Type: All Cap San-Serif
Mounting: Vinyl Tape & Silicone Adh



60"

Mounting Detail: 1/2" = 1'-0"

Page: NY10.0


DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

Area of Rescue Assistance Identification Sign

To be used when the Area of Rescue Assistance is not directly accessed by a designated exit door.




ADA (ADAAG) Guidelines & Regulations

Scale: 1/2" = 1"
Date: 4/2014

ADA Area of Rescue Assistance Identification

Product: ADA Plaques with Raised Copy & Braille, Subsurface Picto
Size: 4"H x 7"W
Type: All Cap San-Serif, 1/2"H Min.
Braille: Grade 2, 1/4"H
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Vinyl Tape & Silicone Adh



Mounting Detail: 1/2" = 1'-0"

Page: NY11.0

DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

Area of Rescue Assistance
Overhead Illuminated Identification
ADA Exit Identification
To be used with illuminated Exit sign.
ADA Plaque required by door.

ADA (ADAAG) Guidelines & Regulations

Scale: As Noted
Date: 4/2014




Illuminated Rescue Assistance Area Identification
Scale: 1/8" = 1"



ADA Exit
Scale: 1/2" = 1"

Note:
Sign mounts above ADA Area of Rescue Assistance Identification Sign as shown on mounting detail.



Mounting Detail: 1/2" = 1'-0"

ADA Area of Rescue Assistance
Exit Identification

ADA Area of Rescue Identification
Product: Illuminated Sign with Vinyl Graphics
Size: 9 3/4"H x 40"W
Type: All Cap San-Serif
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Mechanicals, below EXIT sign

ADA Exit ID
Product: ADA Plaque with Raised Copy & Braille, Subsurface Picto
Size: 6"H x 8"W
Type: All Cap San-Serif
Braille: Grade 2, 1/4"H
Colors: There must be a 70% contrast difference between background and copy/graphics
Mounting: Vinyl Tape & Silicone Adh

Page: NY12.0

DESIGNER
SYSTEMS


352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

Accessibility Symbols ■ ADA (ADAAG) Guidelines & Regulations

The Americans with Disabilities Act (ADAAG) requires these symbols at and directing to equipped public telephones. The symbols should be made as large as possible so they can be seen from a distance.


Scale: NTS
Date: 4/2014



Hearing Assistance



Volume Controlled Telephone



TTY
Text Telephone

■ Accessibility Symbol Plaques

Product: Subsurface Plaque
Suggested Size: 8" x 8"
Colors: Background Blue, Graphic White
(positioned as shown)
Mounting: Vinyl Tape & Silicone

Page: NY13.0

DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

NYC Maximum Occupancy Sign ■ Guidelines & Regulations

Sign required by the NYC Building Code section 27-527.
Requirements may vary by municipality.
Check with local fire marshal.

Scale: 1/4" = 1"
Date: 4/2014

28"

3/4" typ.

1 1/4"

1"

1 1/4"

20"

1 1/4"

**OCCUPANCY BY MORE THAN
XXX PERSONS AS STANDING ASSEMBLY
OR BY
XXX PERSONS AS LOOSE SEATS
OR BY
XXX PERSONS AS LOOSE TABLES
IS DANGEROUS AND UNLAWFUL**

**Public Assembly License Number 402670132
Dept. of Buildings, City of New York**

■ Maximum Occupancy Sign

Product: Frame with Clear Lens & Insert
Insert Size: 20"H x 28"W
Type: San-Serif, All Cap, 1" Cap Ht minimum,
Numbers 1-1/4" Ht minimum
Colors: Background White, Copy Red
Mounting: Vinyl Tape & Silicone Adh

Page: NY14.0

DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043


THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS,
CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED,
MANUFACTURED, MARKETED OR SOLD, IN WHOLE OR IN PART WITHOUT
THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS.

Exterior Building Handicap Accessibility Entrance
Handicapped Accessibility
Handicapped Entrance Locator

At Handicapped Accessible Entrances:
Handicapped Accessibility Plaques are required.
At Handicapped Non-Accessible Entrances:
Handicapped Accessibility & Locator Plaques
are required

ADA (ADAAG) Guidelines & Regulations

Scale: 1/2" = 1"
Date: 4/2014



Exterior Handicap Accessibility

Exterior Handicap Accessibility ID
Product: Subsurface Plaque
Size: 9" x 9"
Colors: Background Blue, Graphic White
Mounting: Vinyl Tape & Silicone Adh

Handicap Entrance Locator
Product: Subsurface Plaque
Size: 3"H x 9"W
Type: San-Serif
Colors: Background White, Copy Black
Mounting: Vinyl Tape & Silicone Adh

Page: NY15.0



352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

§ 1399-p. Posting of signs.

http://www.health.ny.gov/regulations/public_health_law/section/1399/

1. "Smoking" or "No Smoking" signs, or the international "No Smoking" symbol, which consists of a pictorial representation of a burning cigarette enclosed in a circle with a bar across it, shall be prominently posted and properly maintained where smoking is regulated by this article, by the owner, operator, manager or other person having control of such area.

2. The owner, operator or manager of a hotel or motel that chooses to develop and implement a smoking policy for rooms rented to guests shall post a notice at the reception area of the establishment as to the availability, upon request, of rooms in which no smoking is allowed..

Thank You For Not Smoking



NEW YORK STATE PUBLIC HEALTH LAW - ARTICLE 13E

Boriken Neighborhood Health Center

Drawn by: MMR
SP: CV
Scale: 1" = 1"
Date: 4/2014
Revised:

No Smoking Signs

METHOD: Digital PVC
SIZE: 6" H x 6" W x 1/8" TH
IMPRINT COLOR: Black & Red
COPY POSITION: Centered
BACKGROUND COLOR: White
MOUNTING: FT & SA
MOUNTING SURFACE: TBD
MOUNTING HEIGHT: 60" to
Center Finish:
■ Black
■ PMS 200c
□ White

Approval

Page: A11.

DESIGNER
SYSTEMS

352 Washington Avenue
Carlstadt, NJ 07072
201-939-5577 FAX 201-939-7043

THIS DOCUMENT IS THE EXCLUSIVE PROPERTY OF DESIGNER SIGN SYSTEMS, LLC, CARLSTADT, NEW JERSEY, AND MAY NOT BE COPIED, REPRODUCED, MANUFACTURED, MARKED OR SOLD, IN WHOLE OR IN PART WITHOUT THE EXPRESS WRITTEN CONSENT OF DESIGNER SIGN SYSTEMS, LLC.